



क्याटलग सपिङ्ग विधिवाट एम्बुलेन्स खरिद गर्ने सम्बन्धी सुचना

(प्रकाशित मिति:२०७७/११/१६)

यस कार्यालयलाई आवश्यक पर्ने तपिसल अनुसारको १ (एक) थान एम्बुलेन्स सार्वजिनक खिरद ऐन, २०६३ (पिहलो संशोधन) २०७३ को दफा ८ को उपदफा (१) (क) (८) तथा सार्वजिनक खिरद नियमावली, २०६४ (चौथो संसोधन २०७३) को नियम ३१ ख बमोजिम त्यस्तो एम्बुलेन्स उत्पादक (Manufacturer) कम्पनी वा सो को आधिकारिक बिकेता (Importer) हरू बिच मात्र प्रतिस्पर्धा गराउने (क्याटलक सिपड) बिधिबाट खिरद गर्नुपर्ने भएकोले सार्वजिनक खिरद नियमावली, २०६४ को नियम ३१ ख को उपिनयम २ अनुसार देहाय बमोजिमको एम्बुलेन्स बिकी गर्न चाहने उत्पादक (Manufacturer) तथा आधिकारिक बिकेता (Importer) हरूले तपिसलमा उल्लेखित कागजात सिहत यो सुचना काशित भएको मितिले ७ (सात) दिन भित्र यस कार्यालयमा निवेदन दर्ता गर्न हुन सम्बन्धित उत्पादक (Manufacturer) वा आधिकारिक बिकेता (Importer) हरूको जानकारीको लागि यो सुचना प्रकाशित गरिएको छ । विस्तृत स्पेशिफिकेसनको लागि यस कार्यालयको Website: www.narainapurmun.gov.np बाट डाउनलोड गर्न सिकेने छ ।

प्रस्तावदाताले पेश गर्नुपर्ने आवश्यक कागजाहरु

- १. नविकरण गरेको फर्म वा कम्पनी दर्ता प्रमाण पत्रको प्रतिलिपी |
- २. मूल्य अभिवृद्धि कर (VAT) दर्ता प्रमाण पत्रको प्रतिलिपी |
- ३. आ. व. २०७६/०७७ को कर चुक्ता प्रमाण पत्र वा म्याद थप भएको प्रमाण पत्र ।
- ४. खरिद कारवाहीमा नपरेको स्व: घोषणा पत्र |
- ५. Technical Specification प्रमाणित गर्ने रंगिन ब्रोसर (Catalogue Shopping) |
- ६. आफ्नो मालसामानको बजार मूल्य प्रमाणित गर्ने कागजात (पित्रकामा प्रकािशत भएको वा कम्पनीको लैटर प्याडमा आधिकारीक व्यक्तीले सिहिछाप गरी प्रमाणित गरेको कागजात) ∤
- ७. Warranty तथा Guarantee सम्बन्धी कागजाहरु |
- द. यस कार्यालयलाई सम्बोधन गरी लेखिएको सम्बन्धित उत्पादककले प्रदान गरेको Manufacturer's Authorization Letter |
- ९. कार्यालयबाट जारी भएको Technical Specification भरी पेश गर्नुपर्नेछ ।


आवश्यक एम्बुलेन्सको विवरण

| Package | Contract Identification No. | Type of Vehicle | Requirement (General Specification) | Required Quantity |
|---------|--------------------------------|--------------------|--|-------------------|
| - | NRM/GOODS/CS/10 -2077/078 | Ambulance | Van Type Ambulance, RHD, Type-B with Engine developing Power and Torque output not less than 65 kW and 190 Nm. | 1 (One) |
| | | | | |

(महन्द्र-जग शाहा) प्रमुख प्रशासकिय अधिकृत

महेन्द्रजङ्ग शाही प्रमुख प्रशासकीय अधिकृत





क्याटलग सपिङ्ग बिधिबाट एम्बुलेन्स खरिद गर्ने सम्बन्धी सुचना (प्रकाशित मिति:२०७७/११/१६)

यस कार्यालयलाई आवश्यक पर्ने १ (एक) थान एम्बुलेन्स सार्वजिनक खिरद ऐन, २०६३ (पिहिलो संशोधन) २०७३ को दफा द को उपदफा (१) (क) (८) तथा सार्वजिनक खिरद नियमावली, २०६४ (चौथो संसोधन २०७३) को नियम ३१ ख वमोजिम क्याटलक सिपड विधिवाट खिरद गर्नुपर्ने भएकोले सबैको जानकारीको लागी यो सूचना प्रकाशित गरिएको छ साथै विस्तृत सूचना तथा अन्य जानकारी यस कार्यालयको Website: www.narainapurmun.gov.np बाट प्राप्त गर्न सिकिने छ ।

...(महेन्द्र जंगे शाही)

प्रमुख प्रशासिकय अधिकृत

महेन्द्रजङ्ग शाही प्रमुख प्रशासकीय अधिकृत



निक्षां राष्ट्रिपालिका गाउँ क्षेत्रप्रमालिकाको कार्यालय कार्याक लिम्बेना प्रदेश, नेपाल

Oct of the state o

यस कार्यालयबाट मिति २०७६/१९/१६ मा प्रकाशित सुचना अनुसार नरैनापुर गाउँपालिकाको लक्ष्मणपुर प्राथमिक स्वास्थ्य चौकीको क्याटलग सपिङ्ग विधिदाता एम्बुलेन्स खरिद कार्यको लागि निम्न अनुसारको रकम तिर्ने गरी क्याटलग सपिङ्ग मार्फत लिन मञ्जुर भएकोले यो क्याटलग सपिङ्ग फारम पेश गरेको छु।

| 1 | | | तपसिल | | 30- |
|----------|--|------------|--------------|---------|--------|
| सि. | विवरण | ठेक्का नं. | बोल कबोल अंक | | कैफियत |
| नं. | 1330 | | अंकमा | अक्षरमा | |
| q | Van Type Ambulance, RHD, Type-B with Engine developing Power and Torque output not less than 65 kW and 190 Nm. | S/CS/10- | | | |

फर्म/व्यक्तिको नाम:

फर्म दर्ता नं./ ना प्र नं. :

ठेगाना :

सहिछाप :

मिति :

सम्पर्क नं. :



नरैनापुर गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

नरैनापुर, बाँके लुम्बिनी प्रदेश, नेपाल



THE TAIN SHE SHE SHE SEED.

Van Type Ambulance, RHD, Type-B with Engine developing Power and Torque output not less than 65 kW and 190 Nm.

ठेक्का नं. : NRM/GOODS/CS/10-2077/078

फर्म/व्यक्तिको नाम:

प्रथम पटक सूचना जारी मिति : २०७७/११/१६



Narainap ural Municipality
ce of Ruel Municipal Executive
प्रिक्ति प्रिक्ति (Banke
Luiful (Mark) (Banke
Luiful (Mark) (Banke
Luiful (Mark) (Banke)
(अनिम् प्रेस, अपर्व Office of Ru

Technical Specifications

| neral | REQUIREMENT Van type Ambulance, right hand drive (RHD) | Qty: 1 Unit OFFERED SPECIFICATION |
|---------------|---|---|
| neral | | |
| 1 | vali type Ambulance, right hand drive (DUIN) | |
| 1 | Suitable for angust | Make: |
| 1 | suitable for operation under on road and general | Model: |
| 1 10 | off road and also rough working conditions and | Moder |
| | adverse climatic condition at operating altitude | Country of Origin: |
| | of 2500 m and ambient temperature varying | Country |
| | between -5 to 50 degree centigrade | |
| mension and | Gross Vahiala weight should not be less than | |
| | | |
| | | |
| | | |
| | | |
| | Total width should not be less than 1800mm | |
| igine | Water cooled diesel Engine, developing | Make: |
| 0 | maximum power output not less than 65 kW | |
| | and maximum torque should not be less than | Moder. |
| | 190 Nm (engine fully equipped with | |
| - | accessories) at governed RPM for efficient full | |
| | load operation of van at operating conditions as | |
| | stated in the bid documents, shall be equipped | |
| | with cold starting device, direct electric starting | 5 |
| | cyctem | |
| mission | The emission standard of the offered vehicle | ; |
| | must be in compliance with or superior than the | 2 |
| | applicable Standard as prescribed by "Nepa | 11 { |
| | Vehicle Mass Emission Standard" which is to | 0 |
| | be certified by Department of Transpor | t |
| - | Management. | |
| auges | Gauges and meters as necessary for efficient | ıt |
| augus | operation and maintenance. | |
| ransmission | Manual shift at least five forward and on | ie |
| (diloninos en | reverse, all forward synchromesh. | |
| uspension | Front: Heavy duty double wishbone with co | oil |
| изрепьто | spring or Semi Elliptical leaf springs with shoo | ık |
| | absorbers or equally suitable type. | |
| | Rear: Semi Elliptical multi leaf springs | or |
| | | |
| ires | Standard Size | |
| | Power Assisted/ Power Steering | |
| | | eal . |
| rakes | | cai |
| | | |
| | | |
| 210 | | |
| ab | All steel cab with insulated roof, laminated gl | ass |
| | | |
| | | |
| | separate adjustable seat for driver, sun visor. | ***** |
| | mension and ight gine mission andard auges ransmission uspension ires teering rakes | Seating Arrangement: 4+D+1Patient Gross Vehicle weight should not be less than 2900 kg Minimum ground clearance should not be less than 180 mm Total length should not be less than 1800mm Water cooled diesel Engine, developing maximum power output not less than 65 kW and maximum torque should not be less than 190 Nm (engine fully equipped with accessories) at governed RPM for efficient full load operation of van at operating conditions as stated in the bid documents, shall be equipped with cold starting device, direct electric starting system. The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by "Nepa Vehicle Mass Emission Standard" which is to be certified by Department of Transpor Management. Gauges and meters as necessary for efficier operation and maintenance. Manual shift at least five forward and on reverse, all forward synchromesh. Front: Heavy duty double wishbone with conspring or Semi Elliptical leaf springs with shound absorbers or equally suitable type. Rear: Semi Elliptical multi leaf springs equally suitable type. Rear: Semi Elliptical multi leaf springs equally suitable type. Standard Size Power Assisted/ Power Steering Hydraulic brake on all wheels with mechanic parking brake. Front: Disc Rear: Drum All steel cab with insulated roof, laminated gly windscreen, wipers, glass windows on dow proper ventilated system, comfortable seats y |



Narainapuran | Municipality
Office of Rule more partial Executive |
National Executive |
National Executive |
Luidona Province, Nepal

| 12 | Chassis and frame | Heavy duty type | /5 |
|----|--------------------------|---|---------|
| 13 | Essential Accessories | 1. Head light, tail and rear light and turn signals 2. Cabin lights 3. Front and rear toe hooks 4. Heavy duty front bumper 5. Spare wheel with tire 6. Hydraulic jack with handle 7. Heating, Ventilation and Air Conditioning 8. Revolving Light 9. 3 Tone Siren Equipped with all accessories offered in standard model but not limited to the above items. | |
| 14 | Medical Equipment | Equipped with all the equipment offered in Type-B (Basic Life Support, BLS) Ambulance or more. | |
| 15 | Instructions | All signs and instructions in the equipment shall be in English | |
| 16 | Manuals | One copy of the Operator's and Owner's Instructions and Maintenance manual in English shall be supplied | |
| 17 | Tools | A set of tools as required for general maintenance shall be supplied with in a lockable tool box | |
| 18 | Color | Standard Color | |
| 19 | Proven performance | The ambulance offered shall be a current model under standard production by the manufacturer for at least one year | |
| 20 | Warranty | Manufacturer shall provide a minimum of one year warranty after acceptance. | |
| 21 | Delivery | The Ambulance, RHD – 1 unit shall be delivered to: Lakshmanpur Primary Healthpost Lakshmanpur-2 Banke. | 1 i, |

Note:

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offer as per ITB 31.3.
- b) The bidders are required to submit the detailed list of all medical equipment along with their make/model offered with the Ambulance. The medical equipment offered shall not be less than that offered in Type-B (Basic Life Support, BLS) as stated in Ambulance Service Operation Directive, 2073.

| Bidder's Signature Date | |
|-------------------------|--|
|-------------------------|--|